

FIG. 1A

100

108

102

**Print** [?] [X]

**Printer**

Name:  [v] **Properties**

Status: Idle

Type: Minolta PageWorks/Pro 25

Where: min1 ☐ Print to file

Comment:

**Page range**

☒ All ☐ Current page ☐ Selection

☐ Pages:

Enter page numbers and/or page ranges separated by commas. For example, 1,3,5-12

**Copies**

Number of copies:  [v]

☒ Collate

**Zoom**

Print what:  [v]

Pages per sheet:  [v]

Scale to paper size:  [v]


Print:  [v]

**Options...** **OK** **Cancel**

104

106

FIG. 1B



200




FIG. 2

FIG. 3

300

**Multiple Page-range Setting Printer Properties** [?] [X]

Page Setup | **Advanced** | Multiple Page-range Setting

304 Set Total Page Number :  
(Maximum is 999, 0 is to disable Multiple Page-range Setting function)  
0

306 Set Page-ranges:  
(Select a begin page # only for each page-range, the end # will be the next range begin # -1, the last end # is the total page number.)  
1

308 Simplex / Duplex Selected:  
Printer Default

310 Paper Source Selected:  
Printer Default

312 Media Type Selected:  
Printer Default

302 Set Simplex / Duplex:  
Printer Default (selected)  
Simplex  
Duplex

316 Set Paper Source:  
Printer Default (selected)  
Manual Feeder  
Envelop Tray  
Tray 1  
Tray 2  
Tray 3  
2000 Sheet Tray  
5000 Sheet Tray  
Fan Fold Paper Tray

318 Set Media Type:  
Printer Default (selected)  
Thin  
75 g / m<sup>2</sup> (White)  
Thick  
Letterhead  
Prepunched 3 holes  
Recycle  
Transparency  
Light Red  
Light Blue  
Light Green

**NOTE**  
- The "Printer Default" is usually the default value for features. It is normally set on the printer's LCD.  
- Set Page-ranges with ascending order.

OK Cancel

FIG. 4

400

**Multiple Page-range Setting Printer Properties** [?] [X]

Page Setup | **Advanced** | Multiple Page-range Setting

Set Total Page Number:  
(Maximum is 999, 0 is to disable Multiple Page-range Setting function)

304 8

402 Set Simplex / Duplex:

Printer Default ☐

Simplex ☒

Duplex ☐

314

Set Page-ranges:  
(Select a begin page # only for each page-range, the end # will be the next range begin # -1, the last end # is the total page number.)

306 1

308 Simplex / Duplex Selected::

Simplex

310 Paper Source Selected:

Tray 2

312 Media Type Selected:

75 g / m<sup>2</sup> (White)

404 Set Paper Source:

Printer Default

Manual Feeder

Envelop Tray

Tray 1

**Tray 2**

Tray 3

2000 Sheet Tray

5000 Sheet Tray

Fan Fold Paper Tray

316

406 Set Media Type:

Printer Default

Thin

**75 g / m<sup>2</sup> (White)**

Thick

Letterhead

Prepunched 3 holes

Recycle

Transparency

Light Red

Light Blue

Light Green

318

410

**NOTE**

- The "Printer Default" is usually the default value for features. It is normally set on the printer's LCD.
- Set Page-ranges with ascending order.

408 Next range

320 OK

322 Cancel

FIG. 5

500

**Multiple Page-range Setting Printer Properties** [?] [X]

Page Setup | **Advanced** | Multiple Page-range Setting

Set Total Page Number:  
(Maximum is 999, 0 is to disable Multiple Page-range Setting function)

304 8

Set Page-ranges:  
(Select a begin page # only for each page-range, the end # will be the next range begin # -1, the last end # is the total page number.)

306 2

Set Simplex / Duplex:

502 Printer Default ☐  
Simplex ☐  
Duplex ☒

314

Set Paper Source:

316 Printer Default  
Manual feeder  
Envelop Tray  
Tray 1  
Tray 2  
Tray 3  
2000 Sheet Tray  
5000 Sheet Tray  
Fan Fold Paper Tray

504

Set Media Type:

318 Printer Default  
Thin  
75 g / m<sup>2</sup> (White)  
Thick  
Letterhead  
Prepunched 3 holes  
Recycle  
Transparency  
Light Red  
Light Blue  
Light Green

506

Simplex / Duplex Selected:

308 Duplex

Paper Source Selected:

310 Manual Feeder

Media Type Selected:

312 Recycle

**NOTE**

- The "Printer Default" is usually the default value for features. It is normally set on the printer's LCD.
- Set Page-ranges with ascending order.

408 Next range

320 OK

322 Cancel

FIG. 6

600

**Multiple Page-range Setting Printer Properties** [?] [X]

Page Setup | **Advanced** | Multiple Page-range Setting

Set Total Page Number:  
(Maximum is 999, 0 is to disable  
Multiple Page-range Setting function)

304 8

Set Page-ranges:  
(Select a begin page # only for each page-range,  
the end # will be the next range begin # -1, the  
last end # is the total page number. )

306 5

Simplex / Duplex Selected::

308 Simplex

Paper Source Selected:

310 Tray 3

Media Type Selected:

312 Light Green

**NOTE**

- The "Printer Default" is usually the default value for features. It is normally set on the printer's LCD.
- Set Page-ranges with ascending order.

602

Set Simplex / Duplex:

Printer Default ☐

Simplex ☒

Duplex ☐

314

Set Paper Source:

316

Printer Default

Manual Feeder

Envelop Tray

Tray 1

Tray 2

604 Tray 3

2000 Sheet Tray

5000 Sheet Tray

Fan Fold Paper Tray

Set Media Type:

318

Printer Default

Thin

75 g / m<sup>2</sup> (White)

Thick

Letterhead

Prepunched 3 holes

Recycle

Transparency

Light Red

Light Blue

606 Light Green

Next range

OK

Cancel

408 320 322

FIG. 7

700






FIG. 8

800

**Multiple Page-range Setting Printer Properties**
? X

Page Setup

Advanced

Multiple Page-range Setting

Set Total Page Number:  
(Maxium is 999, 0 is to disable  
Multiple Page-range Setting function)

8

▲

▼

Set Page-ranges:  
(Select a begin page # only for each page-range,  
the end # will be the next range begin # -1, the  
last end # is the total page number. )

1 (1-1)

2 (2-4)

5 (5-7)

8 (8-8)

▼

708

x Selected::

Simplex

Set Simplex / Duplex:

Printer Default

Simplex

Duplex

☐

☒

☐

Set Paper Source:

Printer Default

Manual Feeder

Envelop Tray

Tray 1

Tray 2

Tray 3

2000 Sheet Tray

5000 Sheet Tray

Fan Fold Paper Tray

Set Media Type:

Printer Default

Thin

75 g / m<sup>2</sup> (White)

Thick

Letterhead

Prepunched 3 holes

Recycle

Transparency

Light Red

Light Blue

Light Green

Paper Source Selected:

Tray 2

Media Type Selected:

75 g / m<sup>2</sup> (White)

NOTE

- The "Printer Default" is usually the default value for features. It is normally set on the printer's LCD.

- Set Page-ranges with ascending order.

Next range

OK

Cancel

306  
802  
806

408

320

322

FIG. 9A

TABLE 900

#	Page-range	Single/Duplex	Paper source	Media type	Etc.
1	1-1	S	Tray 2	75 g / m <sup>2</sup> (White)	
2	2-4	D	Manual feeder	Recycle (Gray)	
3	5-7	S	Tray 3	Green	
4	8-8	S	Tray 2	75 g / m <sup>2</sup> (White)	

FIG. 9B

TABLE 950

902 →

#	Page-range	Single/Duplex	Paper source	Media type	Etc.
1	1-2	D	Manual feeder	Green colored	
2	3-6	S	Tray 1	Thin	
3	7-20	S	Tray 3	Recycle	
4	21-22	D	Tray 2	Letterhead	
5	23-200	S	LCT	Thick	

FIG. 10




FIG. 11

